

Pleated Screens

TECHNICAL SPECIFICATIONS

PVL 22



MeshWorkz[®]

ABOUT PVL SERIES

MeshWorkz' PVL Series is the smoothest system available today that's designed specifically for large windows and doors.



Stops mosquitoes and other insects from entering.



Designed for Vertical & Horizontal Formats.



Magnetic Locking System



5 Year Replacement Warranty




50+ Color and Finish Options Available



Child-Safe Mesh



PVL 22 - Key Features




Double Coated Mesh

Our soft screens can easily withstand strong-wind pressure without losing shape.



High Tensile Strength

Our wires are 5 times stronger than common wires and don't break easily under pressure.



One-finger operation.

Our slide stability rollers helps you operate the screen from any height, with just one-finger.



PVL 22

Vertica

PERFECT FOR:

Ventilators, Casement Doors & Windows
and Sliding Windows & Doors

MAXIMUM SIZE LIMIT


PVL 22

WIDTH
1,500 mm

HEIGHT
1,500 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS



PVL 22

Uno

PERFECT FOR:


Casement, Doors & Windows, Sliding
Windows & Doors, Sliding Folding Doors
and Tilt & Turn Windows

MAXIMUM SIZE LIMIT

PVL 22	PVL 22 EZ
WIDTH 2,400 mm	WIDTH 2,400 mm
HEIGHT 2,500 mm	HEIGHT 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS



PVL 22

Proxima

PERFECT FOR:


Sliding Windows & Doors, Sliding Folding Doors, Tilt & Turn Windows and Lift & Slide Doors

MAXIMUM SIZE LIMIT

PVL 22	PVL 22 EZ
WIDTH 4,500 mm	WIDTH 4,500 mm
HEIGHT 2,500 mm	HEIGHT 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS



PVL 22

Centra

PERFECT FOR:


Sliding Windows & Doors

MAXIMUM SIZE LIMIT

PVL 22	PVL 22 EZ
WIDTH 2,400 mm	WIDTH 2,400 mm
HEIGHT 2,500 mm	HEIGHT 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS



PVL 22

Double Centra

PERFECT FOR:


Wide Sliding Windows & Doors

MAXIMUM SIZE LIMIT

PVL 22	PVL 22 EZ
WIDTH 4,500 mm	WIDTH 4,500 mm
HEIGHT 2,500 mm	HEIGHT 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS



PVL 22

Corner

PERFECT FOR:

Terraces & balconies

MAXIMUM SIZE LIMIT

WITH MESH OVERLAP

WIDTH
2,400 mm

HEIGHT
2,500 mm


WITHOUT MESH OVERLAP

WIDTH
2,400 mm

HEIGHT
3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS



Frame Colors & Finishes



Powder Coated*



Anodized*



Texture / Metallic*

* The colors shown are most preferred by our clients. However, you can choose any RAL color of your liking, and we shall get it made for you.

Please write to info@meshworkz.com (India) or sales@meshworkz.ae (UAE) for details.



Wood















MeshWorkz[®]

MeshWorkz.com / MeshWorkz.ae

INDIA: Kelegent Metaplast India Pvt. Ltd., Industrial Shed #7, Survey #24/2,
Jadhavrao Industrial Estate, Nanded City, Sinhagad Road, Pune - 411041.

info@meshworkz.com | +91 78880 27448

UAE: Global Window Metal Mesh Factory LLC, Street #22,
Shed #5, Industrial Area 15, Near Al Marai Depo, Maliha Road, Sharjah, UAE.

sales@meshworkz.ae | +971 6533 4459